

Solar Energy Materials and Solar Cells 41/42 (1996) 655-661

Author index to volumes 41/42

Abo-Arais, A., see Siebke, F.	41/42 (1996) 529
Ahmed, E., see Zegadi, A.	41/42 (1996) 295
Ahrenkiel, R.K., D. Levi and J. Arch, Recombination lifetime studies of silicon spheres	41/42 (1996) 171
Ahrenkiel, R.K., see Levi, D.H.	41/42 (1996) 381
Al-Jassim, M., see Levi, D.H.	41/42 (1996) 381
Al-Jassim, M.M., see Wanlass, M.W.	41/42 (1996) 405
Altermatt, P.P., see Zhao, J.	41/42 (1996) 87
Aoyama, S., see Ma, W.	41/42 (1996) 453
Arch, J., see Ahrenkiel, R.K.	41/42 (1996) 171
Asher, S., see Contreras, M.A.	41/42 (1996) 231
Asoka-Kumar, P., see Nelson, A.J.	41/42 (1996) 315
Beck, E., see Burdick, J.	41/42 (1996) 575
Bekkedahl, T., see Ciszek, T.F.	41/42 (1996) 61
Bell, R.O., M. Prince, F.V. Wald, W. Schmidt and K.D. Rasch, A comparison of the	
behavior of solar silicon material in different production processes	41/42 (1996) 71
Beneking, C., see Kubon, M.	41/42 (1996) 485
Beneking, C., see Rech, B.	41/42 (1996) 475
Benner, J.P., see Sopori, B.L.	41/42 (1996) 159
Bennett, M.S., see McMahon, T.J.	41/42 (1996) 465
Bergmann, R., see Shi, Z.	41/42 (1996) 53
Bilger, G., see Zweigart, S.	41/42 (1996) 219
Bingham, C.E., see Tsuo, Y.S.	41/42 (1996) 41
Birkmire, R.W., see Levi, D.H.	41/42 (1996) 381
Bode, M.H., see Gabor, A.M.	41/42 (1996) 247
Boehmer, E., see Kubon, M.	41/42 (1996) 485
Boiko, M.E. and G.A. Medvedkin, Thermal oxidation of CuInSe ₂ : Experiment and	
physico-chemical model	41/42 (1996) 307
Braunger, D., see Walter, T.	41/42 (1996) 355
Brendel, R., J.H. Werner and H.J. Queisser, Thermodynamic efficiency limits for	
semiconductor solar cells with carrier multiplication	41/42 (1996) 419
Brown, W.D., see Haque, M.S.	41/42 (1996) 543
Burdick, J., J. Pruett and E. Beck, Qualification testing of thin-film and crystalline	
photovoltaic modules	41/42 (1996) 575
Burrows, R.W., see Ciszek, T.F.	41/42 (1996) 61
Campbell, P., see Wenham, S.R.	41/42 (1996) 3
Catalano, A., Polycrystalline thin-film technologies: Status and prospects	41/42 (1996) 205
Chen, Z., see Doshi, P.	41/42 (1996) 31
Chin, V.L., see Shi, Z.	41/42 (1996) 53

Ciszek, T.F., T.H. Wang, R.W. Burrows, T. Bekkedahl, M.I. Symko and J.D. Webb,	
Effect of nitrogen doping on microdefects and minority charge carrier lifetime of	
high-purity, dislocation-free and multicrystalline silicon	41/42 (1996) 61
Ciszek, T.F., see Tsuo, Y.S.	41/42 (1996) 41
Ciszek, T.F., see Wang, T.H.	41/42 (1996) 19
Contreras, M.A., J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A. Franz, J. Keane, L. Wang and R. Noufi, High efficiency graded bandgap thin-film polycrys-	
talline Cu(In,Ga)Se ₂ -based solar cells	41/42 (1996) 231
Contreras, M.A., see Gabor, A.M.	41/42 (1996) 247
Contreras, M.A., see Nelson, A.J.	41/42 (1996) 315
Coutts, T.J., see Wanlass, M.W.	41/42 (1996) 405
D'Aiello, R., see Osterwald, C.R.	41/42 (1996) 629
De Clercq, K., see Nijs, J.	41/42 (1996) 101
Demesmaeker, E., see Nijs, J.	41/42 (1996) 101
Deng, X., see Sopori, B.L.	41/42 (1996) 159
Dhere, N.G. and K.W. Lynn, CuIn _{1-x} Ga _x Se ₂ thin film solar cells by two-selenizations	
process using Se vapor	41/42 (1996) 271
Dittrich, H., see Walter, T.	41/42 (1996) 355
Doshi, P., A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier, Rapid thermal	
processing of high-efficiency silicon solar cells with controlled in-situ annealing	41/42 (1996) 31
Eberspacher, C., C.F. Gay and P.D. Moskowitz, Strategies for enhancing the commer-	
cial viability of CdTe-based photovoltaics	41/42 (1996) 637
Edmiston, S., see Honsberg, C.B.	41/42 (1996) 183
Edmiston, S., see Wenham, S.R.	41/42 (1996) 3
Egawa, T., see Umeno, M.	41/42 (1996) 395
Emery, K., see Strand, T.	41/42 (1996) 617
Emery, K.A., see Wanlass, M.W.	41/42 (1996) 405
Estreicher, S.K., see Sopori, B.L.	41/42 (1996) 159
Ferreira, I., see Martins, R.	41/42 (1996) 493
Fortunato, E., see Martins, R.	41/42 (1996) 493
Franz, A., see Contreras, M.A.	41/42 (1996) 231
Franz, A., see Gabor, A.M.	41/42 (1996) 247
Frisson, L., see Nijs, J.	41/42 (1996) 101
Gabor, A., see Contreras, M.A.	41/42 (1996) 231
Gabor, A.M., J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R. Noufi, D.G. Jensen and A.M. Hermann, Band-gap engineering in Cu(In,Ga)Se ₂ thin	
films grown from (In,Ga) ₂ Se ₃ precursors	41/42 (1996) 247
Gabor, A.M., see Nelson, A.J.	41/42 (1996) 315
Gay, C.F., see Eberspacher, C.	41/42 (1996) 637
Gee, J.M., see Schubert, W.K.	41/42 (1996) 137
Ghannam, M., see Nijs, J.	41/42 (1996) 101
Green, M.A., see Honsberg, C.B.	41/42 (1996) 183
Green, M.A., see Keevers, M.J.	41/42 (1996) 195
Green, M.A., see Shi, Z.	41/42 (1996) 53
Green, M.A., see Wenham, S.R.	41/42 (1996) 3
Green, M.A., see Zhao, J.	41/42 (1996) 87
Guimarães, L., see Martins, R.	41/42 (1996) 493

Hamakawa, Y., see Ma, W.	41/42 (1996) 453
Hammond, R., see Osterwald, C.R.	41/42 (1996) 629
Hanitsch, R., see Krauter, S.	41/42 (1996) 557
Hansen, R., see Strand, T.	41/42 (1996) 617
Haque, M.S., H.A. Naseem and W.D. Brown, Aluminum-induced degradation an	
failure mechanisms of a-Si:H solar cells	41/42 (1996) 543
Hariskos, D., M. Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt, A	
novel cadmium free buffer layer for Cu(In,Ga)Se ₂ based solar cells	41/42 (1996) 345
Hasoon, F.S., see Levi, D.H.	41/42 (1996) 381
Hedström, J., see Hariskos, D.	41/42 (1996) 345
Heiser, G., see Wenham, S.R.	41/42 (1996) 3
Herberholz, R., see Walter, T.	41/42 (1996) 355
Hermann, A.M., see Gabor, A.M.	41/42 (1996) 247
Hill, A.E., see Zegadi, A.	41/42 (1996) 295
Hishikawa, Y., K. Ninomiya, E. Maruyama, S. Kuroda, A. Terakawa, K. Sayama, H. Tarui, M. Sasaki, S. Tsuda and S. Nakano, Approaches for stable multi-junction a-S	
solar cells	41/42 (1996) 441
Homberg, F., see Pauli, M.	41/42 (1996) 119
Honsberg, C.B., S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A. Green	
Capitalizing on two dimensional minority carrier injection in silicon solar cell design	
Honsberg, C.B., see Wenham, S.R.	41/42 (1996) 3
Hund, T.D., see Schubert, W.K.	41/42 (1996) 137
Hulid, 1.D., see Schubert, W.K.	41/42 (1990) 137
Jensen, D.G., see Gabor, A.M.	41/42 (1996) 247
Jimbo, T., see Umeno, M.	41/42 (1996) 395
Jones, K.M., see Wanlass, M.W.	41/42 (1996) 405
Kaiser, M., see Ruckh, M.	41/42 (1996) 335
Kato, T., see Umeno, M.	41/42 (1996) 395
Kazmerski, L.L., see Levi, D.H.	41/42 (1996) 381
Keane, J., see Contreras, M.A.	41/42 (1996) 231
Keevers, M.J. and M.A. Green, Extended infrared response of silicon solar cells and the	
impurity photovoltaic effect	41/42 (1996) 195
Kessler, J., see Menezes, S.	41/42 (1996) 325
Keyes, B.M., see Levi, D.H.	41/42 (1996) 381
King, D.L., see Schubert, W.K.	41/42 (1996) 137
Köble, Ch., see Walter, T.	41/42 (1996) 355
Koschier, L., see Honsberg, C.B.	41/42 (1996) 183
Koschier, L., see Wenham, S.R.	41/42 (1996) 3
Krauter, S. and R. Hanitsch, Actual optical and thermal performance of PV-modules	41/42 (1996) 557
Krühler, W., see Pauli, M.	41/42 (1996) 119
Krühler, W., see Reindl, T.	41/42 (1996) 127
Kubon, M., E. Boehmer, F. Siebke, B. Rech, C. Beneking and H. Wagner, Solution of	
the ZnO/p contact problem in a-Si:H solar cells	41/42 (1996) 485
Kuroda, S., see Hishikawa, Y.	41/42 (1996) 441
Landry, M.D., see Tsuo, Y.S.	41/42 (1996) 41
Levi, D., see Ahrenkiel, R.K.	41/42 (1996) 171
Levi, D.H., H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-Jassim,	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
L.L. Kazmerski and R.W. Birkmire, Micro through nanostructure investigations of	
polycrystalline CdTe: Correlations with processing and electronic structures	41/42 (1996) 381
Lewandowski, A., see Tsuo, Y.S.	41/42 (1996) 41
Lewerenz, H.J., see Scheer, R.	41/42 (1996) 261

Liu, X., see Sites, J.R.	41/42 (1996) 373
Lotter, E., see Wanka, H.N.	41/42 (1996) 519
Luck, I., see Scheer, R.	41/42 (1996) 261
Lynn, K.G., see Nelson, A.J.	41/42 (1996) 315 41/42 (1996) 271
Lynn, K.W., see Dhere, N.G.	41/42 (1990) 2/1
Ma, W., S. Aoyama, H. Okamoto and Y. Hamakawa, A study of interface properties in	
a-Si solar cells with μ c-Si(C)	41/42 (1996) 453
Martins, R., M. Vieira, I. Ferreira, E. Fortunato and L. Guimarães, Transport properties of doped silicon oxycarbide microcrystalline films produced by spatial separation	
techniques	41/42 (1996) 493
Maruyama, E., see Hishikawa, Y.	41/42 (1996) 441
Mason, A., see Nelson, A.J.	41/42 (1996) 315
Matson, R., see Wang, T.H.	41/42 (1996) 19
Matson, R.J., see Menezes, S.	41/42 (1996) 325
McMahon, T.J. and M.S. Bennett, Metastable shunt paths in a-Si solar cells	41/42 (1996) 465
Medvedkin, G.A., see Boiko, M.E.	41/42 (1996) 307
Meier, D.L., see Doshi, P.	41/42 (1996) 31
Menezes, S., J. Kessler, D. Schmid, H.W. Schock and R.J. Matson, Use of n-type	
$(Cu_2Se)_x(In_2Se_3)_{1-x}$ ordered defect chalcopyrite films for solar cell absorber layers	41/42 (1996) 325
Menna, P., see Tsuo, Y.S.	41/42 (1996) 41
Mertens, R., see Nijs, J.	41/42 (1996) 101
Moskowitz, P.D., see Eberspacher, C.	41/42 (1996) 637
Moutinho, H., see Wang, T.H.	41/42 (1996) 19
Moutinho, H.R., see Levi, D.H.	41/42 (1996) 381
Mrig, L., see Strand, T.	41/42 (1996) 617
Müller, J., see Pauli, M.	41/42 (1996) 119
Müller, J., see Reindl, T.	41/42 (1996) 127
Nakano, S., see Hishikawa, Y.	41/42 (1996) 441
Naseem, H.A., see Haque, M.S.	41/42 (1996) 543
Nelson, A.J., A.M. Gabor, M.A. Contreras, A. Mason, P. Asoka-Kumar and K.G. Lynn, Relation of polycrystalline Cu(In,Ga)Se ₂ device efficiency with junction depth and	
interfacial structure	41/42 (1996) 315
Nijs, J., E. Demesmaeker, J. Szlufcik, J. Poortmans, L. Frisson, K. De Clercq, M.	
Ghannam, R. Mertens and R. Van Overstraeten, Recent improvements in the screen- printing technology and comparison with the buried contact technology by 2D-simu-	
lation	41/42 (1996) 101
Ninomiya, K., see Hishikawa, Y.	41/42 (1996) 441
Noufi, R., see Contreras, M.A.	41/42 (1996) 231
Noufi, R., see Gabor, A.M.	41/42 (1996) 247
Okamoto, H., see Ma, W.	41/42 (1996) 453
Osterwald, C.R., R. Hammond, G. Zerlaut and R. D'Aiello, Photovoltaic module	
certification and laboratory accreditation criteria development	41/42 (1996) 629
Park, Y.K., see Sopori, B.L.	41/42 (1996) 159
Pauli, M., T. Reindl, W. Krühler, F. Homberg and J. Müller, A new fabrication method	
for multicrystalline silicon layers on graphite substrates suited for low-cost thin film	
solar cells	41/42 (1996) 119
Pauli, M., see Reindl, T.	41/42 (1996) 127
Pern, F.J., Factors that affect the EVA encapsulant discoloration rate upon accelerated	
exposure	41/42 (1996) 587

Pilliana P.D. and Zanaki A	41 /40 /1000) 005
Pilkington, R.D., see Zegadi, A.	41/42 (1996) 295
Pitts, J.R., see Tsuo, Y.S.	41/42 (1996) 41
Poortmans, J., see Nijs, J.	41/42 (1996) 101
Prince, M., see Bell, R.O.	41/42 (1996) 71
Pruett, J., see Burdick, J.	41/42 (1996) 575
Queisser, H.J., see Brendel, R.	41/42 (1996) 419
Ramanathan, K., see Contreras, M.A.	41/42 (1996) 231
Rasch, K.D., see Bell, R.O.	41/42 (1996) 71
Rech, B., C. Beneking and H. Wagner, Improvement in stabilized efficiency of a-Si:H	
solar cells through optimized p/i-interface layers	41/42 (1996) 475
Rech, B., see Kubon, M.	41/42 (1996) 485
Reindl, T., W. Krühler, M. Pauli and J. Müller, Electrical and structural properties of the	
Si/C interface in poly-Si thin films on graphite substrates	41/42 (1996) 127
Reindl, T., see Pauli, M.	41/42 (1996) 119
Roberson, M.A., see Sopori, B.L.	41/42 (1996) 159
Rohatgi, A., see Doshi, P.	41/42 (1996) 31
Rohatgi, A., see Sopori, B.L.	41/42 (1996) 159
Ropp, M., see Doshi, P.	41/42 (1996) 31
Ruby, D., see Doshi, P.	41/42 (1996) 31
Ruckh, M., D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock, Influence	
of substrates on the electrical properties of Cu(In,Ga)Se ₂ thin films	41/42 (1996) 335
Ruckh, M., see Hariskos, D.	41/42 (1996) 345
Ruckh, M., see Schmid, D.	41/42 (1996) 281
Rühle, U., see Hariskos, D.	41/42 (1996) 345
Sana, P., see Sopori, B.L.	41/42 (1996) 159
Sasaki, M., see Hishikawa, Y.	41/42 (1996) 441
Sayama, K., see Hishikawa, Y.	41/42 (1996) 441
Schäffler, R., see Ruckh, M.	41/42 (1996) 335
Scheer, R., I. Luck, H. Sehnert and H.J. Lewerenz, Scavenging of excess Cu atoms in	
CuInS ₂ films by sulphur annealing	41/42 (1996) 261
Schmid, D., M. Ruckh and H.W. Schock, A comprehensive characterization of the	
interfaces in Mo/CIS/CdS/ZnO solar cell structures	41/42 (1996) 281
Schmid, D., see Menezes, S.	41/42 (1996) 325
Schmid, D., see Ruckh, M.	41/42 (1996) 335
Schmidt, W., see Bell, R.O.	41/42 (1996) 71
Schock, H.W., see Hariskos, D.	41/42 (1996) 345
Schock, H.W., see Menezes, S.	41/42 (1996) 325
Schock, H.W., see Ruckh, M.	41/42 (1996) 335
Schock, H.W., see Schmid, D.	41/42 (1996) 281
Schock, H.W., see Walter, T.	41/42 (1996) 355
Schock, H.W., see Zweigart, S.	41/42 (1996) 219
Schropp, R.E.I., see Vanmaekelbergh, D.	41/42 (1996) 537
Schubert, M.B., see Wanka, H.N.	41/42 (1996) 519
Schubert, W.K., D.L. King, T.D. Hund and J.M. Gee, 15%-Efficient multicrystalline-	11 (10 (100) 100
silicon photovoltaic modules: cell processing and characterization	41/42 (1996) 137
Schwerdtfeger, C.R., see Wang, T.H.	41/42 (1996) 19
Sehnert, H., see Scheer, R.	41/42 (1996) 261
Shi, Z., W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R. Bergmann,	
The effects of solvent and dopant impurities on the performance of LPE silicon solar	41 /40 (1000) #5
cells	41/42 (1996) 53

Shi, Z., see Wenham, S.R.	41/42 (1996) 3	,
Siebke, F., H. Stiebig, A. Abo-Arais and H. Wagner, Charged and neutral defect states		
in a-Si:H determined from improved analysis of the constant photocurrent method	41/42 (1996) 529	
Siebke, F., see Kubon, M.	41/42 (1996) 485	
Sites, J.R. and X. Liu, Recent efficiency gains for CdTe and $CuIn_{1-X}Ga_XSe_2$ solar		
cells: What has changed?	41/42 (1996) 373	
Soga, T., see Umeno, M.	41/42 (1996) 395	
Sopori, B.L., X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and		
M.A. Roberson, Hydrogen in silicon: A discussion of diffusion and passivation		
mechanisms	41/42 (1996) 159	
Sproul, A.B., see Honsberg, C.B.	41/42 (1996) 183	
Sproul, A.B., see Wenham, S.R.	41/42 (1996) 3	
Stephens, A., see Shi, Z.	41/42 (1996) 53	
Stiebig, H., see Siebke, F.	41/42 (1996) 529	
Stolt, L., see Hariskos, D.	41/42 (1996) 345	
Strand, T., L. Mrig, R. Hansen and K. Emery, Technical evaluation of a dual-junction		
same-band-gap amorphous silicon photovoltaic system	41/42 (1996) 617	
Sun, S.M., see Zweigart, S.	41/42 (1996) 219	
Symko, M.I., see Ciszek, T.F.	41/42 (1996) 61	
Szlufcik, J., see Nijs, J.	41/42 (1996) 101	
	,	
Tarui, H., see Hishikawa, Y.	41/42 (1996) 441	
Tennant, A., see Contreras, M.A.	41/42 (1996) 231	
Tennant, A.L., see Gabor, A.M.	41/42 (1996) 247	
Terakawa, A., see Hishikawa, Y.	41/42 (1996) 441	
Thorpe, D., see Wenham, S.R.	41/42 (1996) 3	
Tomlinson, R.D., see Zegadi, A.	41/42 (1996) 295	
Tsuda, S., see Hishikawa, Y.	41/42 (1996) 441	
Tsuo, Y.S., J.R. Pitts, M.D. Landry, P. Menna, C.E. Bingham, A. Lewandowski and	, (, ,	
T.F. Ciszek, High-flux solar furnace processing of silicon solar cells	41/42 (1996) 41	
Tuttle, J., see Contreras, M.A.	41/42 (1996) 231	
Tuttle, J.R., see Gabor, A.M.	41/42 (1996) 247	
14110, 014, 500 04001, 14111	, (,	
Umeno, M., T. Kato, T. Egawa, T. Soga and T. Jimbo, High efficiency AlGaAs/Si		
tandem solar cell over 20%	41/42 (1996) 395	
tandem solar cen over 20%	41/42 (1990) 393	
Von de Legement, L. see Vermeekelbergh, D.	41 /42 (1006) 527	
Van de Lagemaat, J., see Vanmaekelbergh, D. Vanmaekelbergh, D., J. van de Lagemaat and R.E.I. Schropp, Observation and explana-	41/42 (1996) 537	
	41 /42 (1006) 527	
tion of quantum efficiencies exceeding unity in amorphous silicon solar cells	41/42 (1996) 537 41/42 (1996) 101	
Van Overstraeten, R., see Nijs, J.	,	
Vieira, M., see Martins, R.	41/42 (1996) 493	
Wagner, H., see Kubon, M.	41/42 (1996) 485	
Wagner, H., see Rech, B.	41/42 (1996) 483	
Wagner, H., see Siebke, F.	41/42 (1996) 529	
Wald, F.V., see Bell, R.O.	41/42 (1996) 71	
Walter, T., D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock,		
Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) ₂ thin	41 /42 (1000) 255	
films: Growth mechanism and devices	41/42 (1996) 355	
Walter, T., see Hariskos, D.	41/42 (1996) 345	
Walter, T., see Ruckh, M.	41/42 (1996) 335	
Wang, A., see Zhao, J.	41/42 (1996) 87	
Wang, L., see Contreras, M.A.	41/42 (1996) 231	

Wang, T.H., T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson, Growth of		
silicon thin layers on cast MG-Si from metal solutions for solar cells	41/42 (1996)	19
Wang, T.H., see Ciszek, T.F.	41/42 (1996)	61
Wanka, H.N., M.B. Schubert and E. Lotter, Growth of a-Si:H on transparent conductive		
oxides for solar cell applications	41/42 (1996)	519
Wanlass, M.W., J.S. Ward, K.A. Emery, M.M. Al-Jassim, K.M. Jones and T.J. Coutts,		
$Ga_xIn_{1-x}As$ thermophotovoltaic converters	41/42 (1996)	405
Ward, J.S., see Wanlass, M.W.	41/42 (1996)	405
Webb, J.D., see Ciszek, T.F.	41/42 (1996)	61
Wenham, S.R., M.A. Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg,	,	
A.B. Sproul, D. Thorpe, Z. Shi and G. Heiser, Limits to the efficiency of silicon		
multilayer thin film solar cells	41/42 (1996)	3
Wenham, S.R., see Honsberg, C.B.	41/42 (1996)	
Wenham, S.R., see Zhao, J.	41/42 (1996)	
Werner, J.H., see Brendel, R.	41/42 (1996)	
Wronski, C.R., Amorphous silicon technology: Coming of age	41/42 (1996)	
Yakushev, M.V., see Zegadi, A.	41/42 (1996)	295
Zegadi, A., M.V. Yakushev, E. Ahmed, R.D. Pilkington, A.E. Hill and R.D. Tomlinson,		
A photoacoustic study on the effect of Se content on defect levels in CuInSe ₂ single		
crystals	41/42 (1996)	295
Zerlaut, G., see Osterwald, C.R.	41/42 (1996)	
Zhang, W., see Shi, Z.	41/42 (1996)	53
Zhao, J., A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green, 24% Efficient perl		
silicon solar cell: Recent improvements in high efficiency silicon cell research	41/42 (1996)	87
Zheng, G.F., see Shi, Z.	41/42 (1996)	53
Zweigart, S., S.M. Sun, G. Bilger and H.W. Schock, CuInSe ₂ film growth using		
precursors deposited at low temperature	41/42 (1996)	219



41/42 (1996) 261



Solar Energy Materials and Solar Cells 41/42 (1996) 663-672

Subject index to volumes 41/42

Aluminium

Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H.	44 (42 (4006) 4
Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996) 1
Aluminum-induced degradation and failure mechanisms of a-Si:H solar cells, M.S. Haque, H.A. Naseem and W.D. Brown	41/42 (1996) 54
Amorphous silicon, hydrogenated amorphous Si, general material prop	erties
Approaches for stable multi-junction a-Si solar cells, Y. Hishikawa, K. Ninomiya, E. Maruyama, S. Kuroda, A. Terakawa, K. Sayama, H. Tarui, M. Sasaki, S. Tsuda and	
S. Nakano	41/42 (1996) 44
Improvement in stabilized efficiency of a-Si:H solar cells through optimized p/i-interface layers, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 47
Solution of the ZnO/p contact problem in a-Si:H solar cells, M. Kubon, E. Boehmer, F. Siebke, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 48
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N. Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 51
Charged and neutral defect states in a-Si:H determined from improved analysis of the constant photocurrent method, F. Siebke, H. Stiebig, A. Abo-Arais and H. Wagner	41/42 (1996) 52
Observation and explanation of quantum efficiencies exceeding unity in amorphous silicon solar cells, D. Vanmaekelbergh, J. van de Lagemaat and R.E.I. Schropp	41/42 (1996) 53
Technical evaluation of a dual-junction same-band-gap amorphous silicon photovoltaic system, T. Strand, L. Mrig, R. Hansen and K. Emery	41/42 (1996) 61
Amorphous silicon, hydrogenated amorphous Si, general solar cell	
device physics	
Amorphous silicon technology: Coming of age, C.R. Wronski	41/42 (1996) 423
A study of interface properties in a-Si solar cells with μ c-Si(C), W. Ma, S. Aoyama, H. Okamoto and Y. Hamakawa	41/42 (1996) 453
Metastable shunt paths in a-Si solar cells, T.J. McMahon and M.S. Bennett	41/42 (1996) 455
Aluminum-induced degradation and failure mechanisms of a-Si:H solar cells, M.S.	41/42 (1990) 40.
Haque, H.A. Naseem and W.D. Brown	41/42 (1996) 543
Annealing	

Scavenging of excess Cu atoms in CuInS₂ films by sulphur annealing, R. Scheer, I.

Luck, H. Sehnert and H.J. Lewerenz

Cadmium sulfide, CdS

A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock

41/42 (1996) 281

Cadmium telluride, CdTe

Recent efficiency gains for CdTe and CuIn_{1-X}Ga_XSe₂ solar cells: What has changed?,
J.R. Sites and X. Liu

41/42 (1996) 373

Micro through nanostructure investigations of polycrystalline CdTe: Correlations with processing and electronic structures, D.H. Levi, H.R. Moutinho, F.S. Hasoon, B.M.

41/42 (1996) 381

41/42 (1996) 355

Keyes, R.K. Ahrenkiel, M. Al-Jassim, L.L. Kazmerski and R.W. Birkmire

Carrier Lifetime

The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R. Bergmann 41/42 (1996) 53

Chalcopyrite compounds

Thermal oxidation of CuInSe₂: Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin

Use of n-type (Cu₂Se)_x(In₂Se₃)_{1-x} ordered defect chalcopyrite films for solar cell absorber layers, S. Menezes, J. Kessler, D. Schmid, H.W. Schock and R.J. Matson

Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se)₂ thin films:

Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R.

Chemical vapour deposition

Herberholz and H.W. Schock

Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori, X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson 41/42 (1996) 159

Copper compounds

Scavenging of excess Cu atoms in CuInS₂ films by sulphur annealing, R. Scheer, I.

Luck, H. Sehnert and H.J. Lewerenz

41/42 (1996) 261

Copper gallium indium selenide, CuGa_x In_{1-x} Se

High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se₂-based solar cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A. Franz, J. Keane, L. Wang and R. Noufi

CuIn_{1-x}Ga_xSe₂ thin film solar cells by two-selenizations process using Se vapor, N.G.

Dhere and K.W. Lynn

41/42 (1996) 271

Copper gallium selenide, CuGaSe,

Relation of polycrystalline Cu(In,Ga)Se₂ device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P. Asoka-Kumar and K.G. Lynn 41/42 (1996) 315

Influence of substrates on the electrical properties of Cu(In,Ga)Se ₂ thin films, M. Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock A novel cadmium free buffer layer for Cu(In,Ga)Se ₂ based solar cells, D. Hariskos, M.	41/42 (1996) 335
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) ₂ thin films: Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R.	41/42 (1996) 345
Herberholz and H.W. Schock	41/42 (1996) 355
Copper indium selenide, CuInSe ₂	
CuInSe ₂ film growth using precursors deposited at low temperature, S. Zweigart, S.M. Sun, G. Bilger and H.W. Schock	41/42 (1996) 219
Band-gap engineering in Cu(In,Ga)Se ₂ thin films grown from (In,Ga) ₂ Se ₃ precursors, A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	41/ 42 (1)/0/ 21/
Noufi, D.G. Jensen and A.M. Hermann Scavenging of excess Cu atoms in CuInS ₂ films by sulphur annealing, R. Scheer, I.	41/42 (1996) 247
Luck, H. Sehnert and H.J. Lewerenz A photoacoustic study on the effect of Se content on defect levels in CuInSe ₂ single	41/42 (1996) 261
crystals, A. Zegadi, M.V. Yakushev, E. Ahmed, R.D. Pilkington, A.E. Hill and R.D. Tomlinson	41/42 (1996) 295
Thermal oxidation of CuInSe ₂ : Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin	41/42 (1996) 307
Relation of polycrystalline Cu(In,Ga)Se ₂ device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P.	
Asoka-Kumar and K.G. Lynn Influence of substrates on the electrical properties of Cu(In,Ga)Se ₂ thin films, M.	41/42 (1996) 315
Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock A novel cadmium free buffer layer for Cu(In,Ga)Se ₂ based solar cells, D. Hariskos, M.	41/42 (1996) 335
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) ₂ thin films:	41/42 (1996) 345
Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock	41/42 (1996) 355
Copper indium sulfide, CuInS ₂	
Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) ₂ thin films: Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R. Herberholz and H.W. Schock	41/42 (1996) 355
Crystalline silicon, cells and related coatings	
15%-Efficient multicrystalline-silicon photovoltaic modules: cell processing and characterization, W.K. Schubert, D.L. King, T.D. Hund and J.M. Gee	41/42 (1996) 137
Crystalline silicon, MIS cells	
Qualification testing of thin-film and crystalline photovoltaic modules, J. Burdick, J. Pruett and E. Beck	41/42 (1996) 575
Crystalline silicon, production	
Effect of nitrogen doping on microdefects and minority charge carrier lifetime of high-purity, dislocation-free and multicrystalline silicon, T.F. Ciszek, T.H. Wang,	
R.W. Burrows, T. Bekkedahl, M.I. Symko and J.D. Webb	41/42 (1996) 61

A new fabrication method for multicrystalline silicon layers on graphite substrates suited for low-cost thin film solar cells, M. Pauli, T. Reindl, W. Krühler, F. Homberg and	
J. Müller	41/42 (1996) 119
Electrical and structural properties of the Si/C interface in poly-Si thin films on	, ,,
graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996) 127
Си	
Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H. Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996) 19
$Cu_{1-y}Ag_yInS_{2(1-x)}Se_{2x}$	
Recent efficiency gains for CdTe and $CuIn_{1-X}Ga_XSe_2$ solar cells: What has changed?, J.R. Sites and X. Liu	41/42 (1996) 373
Efficiency	
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ	
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996) 31
A comparison of the behavior of solar silicon material in different production processes,	44 (40 (400) -
R.O. Bell, M. Prince, F.V. Wald, W. Schmidt and K.D. Rasch 24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	41/42 (1996) 71
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green	41/42 (1996) 87
Recent improvements in the screenprinting technology and comparison with the buried contact technology by 2D-simulation, J. Nijs, E. Demesmaeker, J. Szlufcik, J. Poortmans, L. Frisson, K. De Clercq, M. Ghannam, R. Mertens and R. Van Over-	., . (.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
straeten	41/42 (1996) 101
CuInSe ₂ film growth using precursors deposited at low temperature, S. Zweigart, S.M.	41 /42 (1006) 210
Sun, G. Bilger and H.W. Schock High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se ₂ -based solar	41/42 (1996) 219
cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.	
Franz, J. Keane, L. Wang and R. Noufi	41/42 (1996) 231
Relation of polycrystalline Cu(In,Ga)Se ₂ device efficiency with junction depth and	
interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P.	41 (42 (1006) 215
Asoka-Kumar and K.G. Lynn Recent efficiency gains for CdTe and $CuIn_{1-X}Ga_XSe_2$ solar cells: What has changed?,	41/42 (1996) 315
J.R. Sites and X. Liu	41/42 (1996) 373
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa,	, - , -
T. Soga and T. Jimbo	41/42 (1996) 395
Thermodynamic efficiency limits for semiconductor solar cells with carrier multiplica-	41 (42 (1006) 410
tion, R. Brendel, J.H. Werner and H.J. Queisser Approaches for stable multi-junction a-Si solar cells, Y. Hishikawa, K. Ninomiya, E.	41/42 (1996) 419
Maruyama, S. Kuroda, A. Terakawa, K. Sayama, H. Tarui, M. Sasaki, S. Tsuda and	
S. Nakano	41/42 (1996) 441
Improvement in stabilized efficiency of a-Si:H solar cells through optimized p/i-inter-	
face layers, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 475
Electrical properties	
Electrical and structural properties of the Si/C interface in poly-Si thin films on	
graphite substrates T Reindl W Krühler M Pauli and I Müller	41 /42 (1996) 127

41/42 (1996) 127

graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller

Influence of substrates on the electrical properties of Cu(In,Ga)Se ₂ thin films, M. Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock	41/42 (1996) 335
Electron-hole recombination	
Recombination lifetime studies of silicon spheres, R.K. Ahrenkiel, D. Levi and J. Arch	41/42 (1996) 171
Ellipsometry	
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N. Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 519
Encapsulation	
Actual optical and thermal performance of PV-modules, S. Krauter and R. Hanitsch Factors that affect the EVA encapsulant discoloration rate upon accelerated exposure,	41/42 (1996) 557
F.J. Pem	41/42 (1996) 587
Environmental degradation and testing	
Strategies for enhancing the commercial viability of CdTe-based photovoltaics, C. Eberspacher, C.F. Gay and P.D. Moskowitz	41/42 (1996) 637
Gallium arsenide and gallium aluminium arsenide, GaAs, $Ga_{1-x}Al_xAs$	S
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa, T. Soga and T. Jimbo	41/42 (1996) 395
$Ga_xIn_{1-x}As$ thermophotovoltaic converters, M.W. Wanlass, J.S. Ward, K.A. Emery, M.M. Al-Jassim, K.M. Jones and T.J. Coutts	41/42 (1996) 405
Hall effect	
The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R. Bergmann	41/42 (1996) 53
Hydrogen	
Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori, X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson	41/42 (1996) 159
Indium tin oxide, In_2O_3 : Sn	
Thermal oxidation of CuInSe ₂ : Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin	41/42 (1996) 307
Interfaces	
Relation of polycrystalline Cu(In,Ga)Se ₂ device efficiency with junction depth and interfacial structure, A.J. Nelson, A.M. Gabor, M.A. Contreras, A. Mason, P. Asoka-Kumar and K.G. Lynn	41/42 (1996) 315

A study of interface properties in a-Si solar cells with μ c-Si(C), W. Ma, S. Aoyama, H. Okamoto and Y. Hamakawa	41/42 (1996) 453
Light trapping (concentration)	
Limits to the efficiency of silicon multilayer thin film solar cells, S.R. Wenham, M.A. Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg, A.B. Sproul, D. Thorpe, Z. Shi and G. Heiser	41/42 (1996) 3
Metal-organic chemical vapor deposition	
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa, T. Soga and T. Jimbo	41/42 (1996) 395
Minority carriers	
Effect of nitrogen doping on microdefects and minority charge carrier lifetime of high-purity, dislocation-free and multicrystalline silicon, T.F. Ciszek, T.H. Wang, R.W. Burrows, T. Bekkedahl, M.I. Symko and J.D. Webb Capitalizing on two dimensional minority carrier injection in silicon solar cell design, C.B. Honsberg, S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A.	41/42 (1996) 61
Green	41/42 (1996) 183
Molybdenum oxide	
A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock	41/42 (1996) 281
Optical properties	
Thermal oxidation of CuInSe ₂ : Experiment and physico-chemical model, M.E. Boiko and G.A. Medvedkin	41/42 (1996) 307
Photocurrent	
Charged and neutral defect states in a-Si:H determined from improved analysis of the constant photocurrent method, F. Siebke, H. Stiebig, A. Abo-Arais and H. Wagner	41/42 (1996) 529
Photoluminescence	
Micro through nanostructure investigations of polycrystalline CdTe: Correlations with processing and electronic structures, D.H. Levi, H.R. Moutinho, F.S. Hasoon, B.M. Keyes, R.K. Ahrenkiel, M. Al-Jassim, L.L. Kazmerski and R.W. Birkmire	41/42 (1996) 381
Photovoltaic effects	
24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green	41/42(1996) 87
Extended infrared response of silicon solar cells and the impurity photovoltaic effect, M.J. Keevers and M.A. Green	41/42 (1996) 195

41/42 (1996) 325

Photovoltaics, general properties and types

15%-Efficient multicrystalline-silicon photovoltaic modules: cell processing and charac-	
terization, W.K. Schubert, D.L. King, T.D. Hund and J.M. Gee	41/42 (1996) 137
Polycrystalline thin-film technologies: Status and prospects, A. Catalano	41/42 (1996) 205
Band-gap engineering in Cu(In,Ga)Se ₂ thin films grown from (In,Ga) ₂ Se ₃ precursors,	41/ 42 (1990) 203
A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	
Noufi, D.G. Jensen and A.M. Hermann	41/42 (1996) 247
Thermal oxidation of CuInSe ₂ : Experiment and physico-chemical model, M.E. Boiko	
and G.A. Medvedkin	41/42 (1996) 307
$Ga_xIn_{1-x}As$ thermophotovoltaic converters, M.W. Wanlass, J.S. Ward, K.A. Emery,	
M.M. Al-Jassim, K.M. Jones and T.J. Coutts	41/42 (1996) 405
Factors that affect the EVA encapsulant discoloration rate upon accelerated exposure,	
F.J. Pern	41/42 (1996) 587
Technical evaluation of a dual-junction same-band-gap amorphous silicon photovoltaic	
system, T. Strand, L. Mrig, R. Hansen and K. Emery	41/42 (1996) 617
Photovoltaic module certification and laboratory accreditation criteria development, C.R.	
Osterwald, R. Hammond, G. Zerlaut and R. D'Aiello	41/42 (1996) 629
Strategies for enhancing the commercial viability of CdTe-based photovoltaics, C.	
Eberspacher, C.F. Gay and P.D. Moskowitz	41/42 (1996) 637
Plasma CVD coatings	
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ	41 (40 (1000) 21
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996) 31
Reliability	
Qualification testing of thin-film and crystalline photovoltaic modules, J. Burdick, J.	
Pruett and E. Beck	41/42 (1996) 575
Selenium	
$CuIn_{1-x}Ga_xSe_2$ thin film solar cells by two-selenizations process using Se vapor, N.G.	
Dhere and K.W. Lynn	41/42 (1996) 271
A photoacoustic study on the effect of Se content on defect levels in CuInSe, single	,
crystals, A. Zegadi, M.V. Yakushev, E. Ahmed, R.D. Pilkington, A.E. Hill and R.D.	
Tomlinson	41/42 (1996) 295
Semiconductor device testing	
High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se ₂ -based solar	
cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.	
Franz, J. Keane, L. Wang and R. Noufi	41/42 (1996) 231
,	, (, 251
Semiconductor junctions	

Use of n-type $(Cu_2Se)_x(In_2Se_3)_{1-x}$ ordered defect chalcopyrite films for solar cell absorber layers, S. Menezes, J. Kessler, D. Schmid, H.W. Schock and R.J. Matson

Silicon

Limits to the efficiency of silicon multilayer thin film solar cells, S.R. Wenham, M.A.		
Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg, A.B. Sproul, D.		
Thorpe, Z. Shi and G. Heiser	41/42 (1996)	3
Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H.		
Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996)	19
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ		
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996)	31
High-flux solar furnace processing of silicon solar cells, Y.S. Tsuo, J.R. Pitts, M.D.	41 (42 (1006)	41
Landry, P. Menna, C.E. Bingham, A. Lewandowski and T.F. Ciszek	41/42 (1996)	41
The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R.		
Bergmann	41/42 (1996)	53
A comparison of the behavior of solar silicon material in different production processes,	41/42 (1990)	33
R.O. Bell, M. Prince, F.V. Wald, W. Schmidt and K.D. Rasch	41/42 (1996)	71
24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	11, 12 (1),0)	
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green	41/42 (1996)	87
Recent improvements in the screenprinting technology and comparison with the buried	,	
contact technology by 2D-simulation, J. Nijs, E. Demesmaeker, J. Szlufcik, J.		
Poortmans, L. Frisson, K. De Clercq, M. Ghannam, R. Mertens and R. Van Over-		
straeten	41/42 (1996)	101
Electrical and structural properties of the Si/C interface in poly-Si thin films on		
graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996) 1	127
Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori,		
X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A.	44 440 (1000)	
Roberson Recombination lifetime studies of cilians spheres R.V. Abrankial D. Lavi and J. Arab	41/42 (1996) 1	
Recombination lifetime studies of silicon spheres, R.K. Ahrenkiel, D. Levi and J. Arch Capitalizing on two dimensional minority carrier injection in silicon solar cell design,	41/42 (1996) 1	1/1
C.B. Honsberg, S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A.		
Green	41/42 (1996) 1	183
Extended infrared response of silicon solar cells and the impurity photovoltaic effect,	, (1550) .	. 00
M.J. Keevers and M.A. Green	41/42 (1996) 1	195
Amorphous silicon technology: Coming of age, C.R. Wronski	41/42 (1996) 4	
Silicon compounds		
Silven compensas		
Transport properties of doped silicon oxycarbide microcrystalline films produced by		
spatial separation techniques, R. Martins, M. Vieira, I. Ferreira, E. Fortunato and L.		
Guimarães	41/42 (1996) 4	193
	, (, .	
Solar cells		
Limits to the efficiency of silicon multilayer thin film solar cells, S.R. Wenham, M.A.		
Green, S. Edmiston, P. Campbell, L. Koschier, C.B. Honsberg, A.B. Sproul, D.		
Thorpe, Z. Shi and G. Heiser	41/42 (1996)	3
Growth of silicon thin layers on cast MG-Si from metal solutions for solar cells, T.H.		
Wang, T.F. Ciszek, C.R. Schwerdtfeger, H. Moutinho and R. Matson	41/42 (1996)	19
Rapid thermal processing of high-efficiency silicon solar cells with controlled in-situ		
annealing, P. Doshi, A. Rohatgi, M. Ropp, Z. Chen, D. Ruby and D.L. Meier	41/42 (1996)	31
High-flux solar furnace processing of silicon solar cells, Y.S. Tsuo, J.R. Pitts, M.D.	41 /42 /4000	
Landry, P. Menna, C.E. Bingham, A. Lewandowski and T.F. Ciszek	41/42 (1996)	41

The Control of the Co		
The effects of solvent and dopant impurities on the performance of LPE silicon solar cells, Z. Shi, W. Zhang, G.F. Zheng, V.L. Chin, A. Stephens, M.A. Green and R.		
Bergmann	41/42 (1996)	53
24% Efficient perl silicon solar cell: Recent improvements in high efficiency silicon cell	41/42 (1990)	33
research, J. Zhao, A. Wang, P.P. Altermatt, S.R. Wenham and M.A. Green Recent improvements in the screenprinting technology and comparison with the buried	41/42 (1996)	87
contact technology by 2D-simulation, J. Nijs, E. Demesmaeker, J. Szlufcik, J.		
Poortmans, L. Frisson, K. De Clercq, M. Ghannam, R. Mertens and R. Van Over-	41 (42 (1000)	
stracten Hudragen in silicon: A discussion of diffusion and possituation machanisms. B.I. Sanari	41/42 (1996)	101
Hydrogen in silicon: A discussion of diffusion and passivation mechanisms, B.L. Sopori, X. Deng, J.P. Benner, A. Rohatgi, P. Sana, S.K. Estreicher, Y.K. Park and M.A. Roberson	41/42 (1996)	150
Recombination lifetime studies of silicon spheres, R.K. Ahrenkiel, D. Levi and J. Arch	41/42 (1996)	
Capitalizing on two dimensional minority carrier injection in silicon solar cell design, C.B. Honsberg, S. Edmiston, L. Koschier, S.R. Wenham, A.B. Sproul and M.A.	41/ 42 (1990)	1/1
Green	41/42 (1996)	183
Extended infrared response of silicon solar cells and the impurity photovoltaic effect,		
M.J. Keevers and M.A. Green	41/42 (1996) 1	
Polycrystalline thin-film technologies: Status and prospects, A. Catalano	41/42 (1996) 2	205
High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se ₂ -based solar cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.		
Franz, J. Keane, L. Wang and R. Noufi	41/42 (1996) 2	231
Band-gap engineering in Cu(In,Ga)Se ₂ thin films grown from (In,Ga) ₂ Se ₃ precursors,	11/ 12 (1)/0/ 2	
A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.		
Noufi, D.G. Jensen and A.M. Hermann	41/42 (1996) 2	247
$CuIn_{1-x}Ga_xSe_2$ thin film solar cells by two-selenizations process using Se vapor, N.G.		
Dhere and K.W. Lynn	41/42 (1996) 2	271
A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock	41/42 (1996) 2	281
Use of n -type $(Cu_2Se)_x(In_2Se_3)_{1-x}$ ordered defect chalcopyrite films for solar cell absorber layers, S. Menezes, J. Kessler, D. Schmid, H.W. Schock and R.J. Matson	41/42 (1996) 3	25
A novel cadmium free buffer layer for Cu(In,Ga)Se ₂ based solar cells, D. Hariskos, M.	41/42 (1990) 3	123
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt	41/42 (1996) 3	45
Recent efficiency gains for CdTe and $CuIn_{1-x}Ga_xSe_2$ solar cells: What has changed?,	,	
J.R. Sites and X. Liu	41/42 (1996) 3	73
High efficiency AlGaAs/Si tandem solar cell over 20%, M. Umeno, T. Kato, T. Egawa,		
T. Soga and T. Jimbo	41/42 (1996) 3	95
Thermodynamic efficiency limits for semiconductor solar cells with carrier multiplica-	41 /42 (1006) 4	10
tion, R. Brendel, J.H. Werner and H.J. Queisser Improvement in stabilized efficiency of a-Si:H solar cells through optimized p/i-inter-	41/42 (1996) 4	19
face layers, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 4	75
Solution of the ZnO/p contact problem in a-Si:H solar cells, M. Kubon, E. Boehmer, F.	, (, .	
Siebke, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 4	85
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N.		
Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 5	19
Observation and explanation of quantum efficiencies exceeding unity in amorphous	41 (42 (1006) 5	27
silicon solar cells, D. Vanmaekelbergh, J. van de Lagemaat and R.E.I. Schropp	41/42 (1996) 53	31
Solar furnace		
High-flux solar furnace processing of silicon solar cells, Y.S. Tsuo, J.R. Pitts, M.D.		
Landry, P. Menna, C.E. Bingham, A. Lewandowski and T.F. Ciszek	41/42 (1996)	41
Spectral response		
Extended infrared response of silicon solar cells and the impurity photovoltaic effect,		
M.J. Keevers and M.A. Green	41/42 (1996) 19	95

Structural properties

Electrical and structural properties of the Si/C interface in poly-Si thin films on graphite substrates, T. Reindl, W. Krühler, M. Pauli and J. Müller	41/42 (1996) 127
Thermal analysis	
Actual optical and thermal performance of PV-modules, S. Krauter and R. Hanitsch	41/42 (1996) 557
Thin film solar cells	
A new fabrication method for multicrystalline silicon layers on graphite substrates suited for low-cost thin film solar cells, M. Pauli, T. Reindl, W. Krühler, F. Homberg and	
J. Müller	41/42 (1996) 119
CuInSe ₂ film growth using precursors deposited at low temperature, S. Zweigart, S.M. Sun, G. Bilger and H.W. Schock	41/42 (1996) 219
Thin films	
Polycrystalline thin-film technologies: Status and prospects, A. Catalano High efficiency graded bandgap thin-film polycrystalline Cu(In,Ga)Se ₂ -based solar cells, M.A. Contreras, J. Tuttle, A. Gabor, A. Tennant, K. Ramanathan, S. Asher, A.	41/42 (1996) 205
Franz, J. Keane, L. Wang and R. Noufi Band-gap engineering in Cu(In,Ga)Se ₂ thin films grown from (In,Ga) ₂ Se ₃ precursors, A.M. Gabor, J.R. Tuttle, M.H. Bode, A. Franz, A.L. Tennant, M.A. Contreras, R.	41/42 (1996) 231
Noufi, D.G. Jensen and A.M. Hermann CuIn _{1-x} Ga _x Se ₂ thin film solar cells by two-selenizations process using Se vapor, N.G.	41/42 (1996) 247
Dhere and K.W. Lynn Influence of substrates on the electrical properties of Cu(In,Ga)Se ₂ thin films, M.	41/42 (1996) 271
Ruckh, D. Schmid, M. Kaiser, R. Schäffler, T. Walter and H.W. Schock A novel cadmium free buffer layer for Cu(In,Ga)Se ₂ based solar cells, D. Hariskos, M.	41/42 (1996) 335
Ruckh, U. Rühle, T. Walter, H.W. Schock, J. Hedström and L. Stolt Sequential processes for the deposition of polycrystalline Cu(In,Ga)(S,Se) ₂ thin films: Growth mechanism and devices, T. Walter, D. Braunger, H. Dittrich, Ch. Köble, R.	41/42 (1996) 345
Herberholz and H.W. Schock Micro through nanostructure investigations of polycrystalline CdTe: Correlations with processing and electronic structures, D.H. Levi, H.R. Moutinho, F.S. Hasoon, B.M.	41/42 (1996) 355
Keyes, R.K. Ahrenkiel, M. Al-Jassim, L.L. Kazmerski and R.W. Birkmire Qualification testing of thin-film and crystalline photovoltaic modules, J. Burdick, J.	41/42 (1996) 381
Pruett and E. Beck	41/42 (1996) 575
Transparent conductors	
Growth of a-Si:H on transparent conductive oxides for solar cell applications, H.N. Wanka, M.B. Schubert and E. Lotter	41/42 (1996) 519
Zinc oxide, ZnO	
A comprehensive characterization of the interfaces in Mo/CIS/CdS/ZnO solar cell structures, D. Schmid, M. Ruckh and H.W. Schock	41/42 (1996) 281
Metastable shunt paths in a-Si solar cells, T.J. McMahon and M.S. Bennett Solution of the ZnO/p contact problem in a-Si:H solar cells, M. Kubon, E. Boehmer, F.	41/42 (1996) 465
Siebke, B. Rech, C. Beneking and H. Wagner	41/42 (1996) 485